



# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

Ref. 130000006012/D

Rev. no. 1.1

Revised on 01.07.2016

Printing date 15.07.2016

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade name StoPox KU 405 Komp. A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Coating material

Reserved for industrial and professional use.

Uses advised against

This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

Sto SE & Co. KGaA  
Ehrenbachstr. 1  
D - 79780 Stühlingen  
Telephone: +49 7744 57-0  
Telefax: +49 7744 57 -2178  
infoservice@sto.com

E-mail address of person responsible for the SDS European Union

Sto SE & Co. KGaA  
TIQ Quality Management Department  
p.hammerschmitt@sto.com

#### 1.4 Emergency telephone number European Union

Phone: +44 (0)1235 239 670

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Chronic aquatic toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

Hazard pictograms



Signal word

Warning

Hazard statements

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

**Prevention:**  
 P261 Avoid breathing vapours.  
 P280 Wear protective gloves/ eye protection/ face protection.

**Response:**  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.

**Disposal:**  
 P501 Contents/container to be disposed of through approved disposal contractor or taken to municipal collection point.

Hazardous components which must be listed on the label:

reaction product: bisphenol-A-(epichlorhydrin) and epoxy resin (number average molecular weight  $\leq 700$ )  
 Bisphenol F epichlorhydrin resin with average mol. weight  $\leq 700$   
 oxirane, mono[(C12-14-alkyloxy)methyl]derivs

**Additional Labelling:**

EUH205 Contains epoxy constituents. May produce an allergic reaction.

### 2.3 Other hazards

Results of PBT and vPvB assessment  
 Not applicable

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

**Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (% w/w)
reaction product:	25068-38-6	Eye Irrit.2; H319	$\geq 25$ - $< 50$

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

bisphenol-A-(epichlorhydrin) and epoxy resin (number average molecular weight $\leq$ 700)	01-2119456619-26-XXXX	Skin Irrit.2; H315 Skin Sens.1; H317 Aquatic Chronic2; H411	
Bisphenol F epichlorhydrin resin with average mol. weight $\leq$ 700	9003-36-5 01-2119454392-40-XXXX	Skin Sens.1; H317 Skin Irrit.2; H315 Aquatic Chronic2; H411	$\geq 10 - < 20$
oxirane, mono[(C12-14-alkyloxy)methyl]derivs	68609-97-2 271-846-8 01-2119485289-22-XXXX	Skin Irrit.2; H315 Skin Sens.1; H317	$\geq 1 - < 10$
Hexandiol diglycidylether	16096-31-4 240-260-4 01-2119463471-41-XXXX	Eye Irrit.2; H319 Skin Irrit.2; H315 Skin Sens.1; H317 Aquatic Chronic3; H412	$\geq 1 - < 10$
Phenol, methylstyrenated	68512-30-1 270-966-8 01-2119555274-38-XXXX	Skin Irrit.2; H315 Skin Sens.1; H317 Aquatic Chronic3; H412	$\geq 1 - < 10$
low boiling point hydrogen treated naphtha	64742-82-1 265-185-4	Aquatic Chronic2; H411 Asp. Tox.1; H304 Flam. Liq.3; H226 STOT SE3; H336 Note H (Table 3.1), Note P	$< 2,5$

For explanation of abbreviations see section 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

General advice	When symptoms persist or in all cases of doubt seek medical advice. First aider needs to protect himself.
Inhalation	Move to fresh air in case of accidental inhalation of vapours or decomposition products. Consult a physician after significant exposure.
Skin contact	Take off contaminated clothing and shoes immediately. Take off contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. If symptoms persist, call a physician.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician. Eye rinsing bottle must be kept immediately to hand.
Ingestion	Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water.

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

Do NOT induce vomiting.  
Obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically.  
No information available.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable extinguishing media CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Unsuitable extinguishing media High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Fire may cause evolution of:  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.  
Complete suit protecting against chemicals

Additional advice

Water for fire fighting must not be emptied into drains, earth or waters.  
Contaminated water and earth must be disposed of according to official local regulations.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe fumes / aerosol  
Do not get in eyes, on skin, or on clothing.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Prevent unauthorized access.

### 6.2 Environmental precautions

Prevent seepage into sewage system, workpits and cellars.  
Do not allow contact with soil, surface or ground water.

### 6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.

### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8.

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Do not breathe vapours or spray mist. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Comply with the statutory regulations on health and safety at work. Do not re-use empty containers.
Hygiene measures	Take off immediately all contaminated clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. After washing hands, replenish lost skin oil by means of oily skin ointment. When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Keep out of reach of children. Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Protect from frost, heat and sunlight. Keep in a dry place.
Advice on common storage	No materials to be especially mentioned.

**7.3 Specific end use(s)** For further information, see also Technical Data Sheet for the product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values. The lists that were valid during the creation were used as basis.

#### 8.2 Exposure controls

##### Appropriate engineering controls

Washing facilities / water for rinsing eyes and skin should be available.

##### Individual protection measures, such as personal protective equipment

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

<p>   a) Eye/face protection</p>	<p>Safety glasses with side-shields conforming to EN166</p>
<p>b) Skin protection Hand protection</p>	<p>Wearing time: &lt; 20 min Minimum thickness: 0,2 mm Gloves made of the following materials are suitable as protection from splashes: Gloves made of nitrile rubber, e.g. KCL 743 Dermatril® P (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent. Wetted gloves must be disposed of immediately!</p> <p>Wearing time: &gt; 480 min Minimum thickness: 0,4 mm Gloves in the following material can be used for prolonged contact up to max. 8 hours:</p> <p>Gloves made of nitrile rubber, e.g. KCL 730 Camatril® Velours (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent. Dispose of wetted gloves at the end of the shift!</p> <p>The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Cotton undergloves are recommendable when wearing protective gloves! To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III.</p>
<p>Body Protection</p>	<p>Impervious clothing If splashes are likely to occur, wear: Solvent-resistant apron and boots</p>
<p>c) Respiratory protection</p>	<p>In case of inadequate ventilation wear respiratory protection. Recommended Filter type: A/P2 combination filter, alternatively a respiratory protective device independent from the surrounding air. Respiratory protection complying with EN 14387. For rescue and maintenance work in storage tanks use self-contained breathing apparatus.</p>
<p>General precautions and other information</p>	<p>The instructions for the personal protective equipment apply to the handling of both individual components and of the ready-to-use mixture.</p>
<p><b>Environmental exposure controls</b></p>	
<p>General advice</p>	<p>Prevent seepage into sewage system, workpits and cellars. Do not allow contact with soil, surface or ground water.</p>

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

Appearance	liquid
Colour	No data available
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	not applicable
Flammability (solid, gas)	not applicable
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Vapour density	No data available
Density	ca. 1,55 g/cm <sup>3</sup> , 23 °C, DIN 53217
Solubility(ies)(Water)	insoluble
Partition coefficient: n-octanol/water	not determined
Auto-ignition temperature	not auto-flammable
Ignition temperature	No data available
Viscosity, dynamic	ca. 2.850 mPa.s (23 °C) Method: DIN 53018-1
Explosive properties	Not explosive
Oxidizing properties	Not applicable

### 9.2 Other information

Flow time	No data available
-----------	-------------------

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	Reacts with amines. Reacts with acids. Reacts with the following substances: alkalines
---------------------	---

### 10.4 Conditions to avoid

Conditions to avoid	Direct sources of heat. Strong sunlight for prolonged periods.
---------------------	---

### 10.5 Incompatible materials

Materials to avoid	Strong acids and strong bases Avoid unintentional contact with amines. Strong oxidizing agents
--------------------	--

### 10.6 Hazardous decomposition products

Hazardous decomposition products	No decomposition if stored and applied as directed. Polymerisation is a highly exothermic reaction and may generate sufficient heat to cause thermal decomposition and/or rupture containers. In case of fire hazardous decomposition products may be produced such as: Hydrogen chloride (HCl)
----------------------------------	--

Decomposition temperature	No data available
---------------------------	-------------------

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Product

Acute oral toxicity	Based on available data, the classification criteria are not met.
Acute inhalation toxicity	Based on available data, the classification criteria are not met.
Acute dermal toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.



# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

Does not cause respiratory sensitisation.

Germ cell mutagenicity	
Genotoxicity in vitro	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	
Effects on fertility	Based on available data, the classification criteria are not met.
Developmental Toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Further information	The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).

### Components:

**reaction product: bisphenol-A-(epichlorhydrin) and epoxy resin (number average molecular weight ≤ 700) :**

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction. Method: OECD Test Guideline 406

**Bisphenol F epichlorhydrin resin with average mol. weight ≤700 :**

Skin corrosion/irritation	Causes skin irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

**oxirane, mono[(C12-14-alkyloxy)methyl]derivs :**  
Skin corrosion/irritation Causes skin irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

**Hexandiol diglycidylether :**  
Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

**Phenol, methylstyrenated :**  
Skin corrosion/irritation Causes skin irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

**low boiling point hydrogen treated naphtha :**  
Skin corrosion/irritation Repeated exposure may cause skin dryness or cracking.

STOT - single exposure May cause drowsiness or dizziness.

Aspiration hazard May be fatal if swallowed and enters airways.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

**Product:**

Toxicity to fish No data available

### 12.2 Persistence and degradability

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

### Product:

Biodegradability No data available

### Components:

**reaction product: bisphenol-A-(epichlorhydrin) and epoxy resin (number average molecular weight ≤ 700) :**

Biodegradability Result: not rapidly degradable

**Hexandiol diglycidylether :**

Biodegradability Result: not rapidly degradable

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation No data available

#### Components:

**reaction product: bisphenol-A-(epichlorhydrin) and epoxy resin (number average molecular weight ≤ 700) :**

Partition coefficient: n-octanol/water log Pow: 3,7 - 3,9

**Hexandiol diglycidylether :**

Bioaccumulation Bioconcentration factor (BCF): < 100  
Does not accumulate in organisms.

Partition coefficient: n-octanol/water log Pow: 0,822 (20 °C)  
Method: OECD Test Guideline 107  
log Pow

### 12.4 Mobility in soil

#### Product:

Mobility No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Additional ecological information Do not use in the direct vicinity of bodies of water. Do not allow the agent or any product residues to enter into waters, the soil or the sewage system. Even small quantities emptied into the soil can affect the quality of drinking water. Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Product	The user is responsible for proper coding and marking of any waste. When used as recommended, the waste code can be selected according to the code of the European Waste Catalogue (EWC), category 17.09 "Other Construction and Demolition Waste" Unhardened product residues should be disposed of under the recommended waste code number.
Contaminated packaging	Empty packaging should be recycled through disposal systems.
Waste key for the unused product	08 01 11*: Paint and varnish waste containing organic solvents or other dangerous substances  : (*) hazardous waste in terms of the European directive 91/689/EEC

### SECTION 14: TRANSPORT INFORMATION

#### 14.1 UN number

ADR	3082
IMDG	3082
IATA	3082

#### 14.2 UN proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)
IATA	Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)

#### 14.3 Transport hazard class(es)

ADR	9
IMDG	9
IATA	9

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

### 14.4 Packing group

#### ADR

Packing group	III
Classification Code	M6
Hazard Identification Number	90
Labels	9
Tunnel restriction code	(E)

#### IMDG

Packaging group	III
Labels	9
EmS number	F-A, S-F

#### IATA

Packaging group	III
Labels	9

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous	yes
---------------------------	-----

#### IMDG

Marine pollutant	yes
------------------	-----

### 14.6 Special precautions for user

Remarks	This information is not available.
---------	------------------------------------

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks	Not applicable
---------	----------------

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

Directive 2010/75/EU 1,28 %  
19,9 g/l

Directive 2004/42/EC 1,28 %  
19,9 g/l

Further notes EU limit value for this product (cat. A)/500 g/l This product contains max500 g/IVOC.  
For further information, see also Technical Data Sheet for the product.

Other regulations Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.  
Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical Safety Assessment

This information is not available.

## SECTION 16: OTHER INFORMATION

Changes from the previous version are indicated by markings in the left-hand margin. The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.

### Full text of H-Statements

H226 : Flammable liquid and vapour.  
H304 : May be fatal if swallowed and enters airways.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H336 : May cause drowsiness or dizziness.  
H411 : Toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Chronic : Chronic aquatic toxicity  
Asp. Tox. : Aspiration hazard  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

## StoPox KU 405 Komp. A

rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Other information

It is possible in the interim period that you may find different markings on packaging compared to the Material Safety Data Sheet until stocks have been used up. We ask for your understanding in this matter.

Department issuing MSDS

Abteilung TIQ  
Sto SE & Co. KGaA Stühlingen  
p.hammerschmitt@sto.com

REG\_EU / EN

# SAFETY DATA SHEET

In accordance with Regulation (EC) No. 1907/2006

---

## StoPox KU 405 Komp. A